



Basic and Applied Scientific Research Centre Dammam 31113, Saudi Arabia		 جامعة الإمام عبد الرحمن بن فيصل IMAM ABDULRAHMAN BIN FAISAL UNIVERSITY مركز البحوث العلمية الأساسية و التطبيقية Basic and Applied Scientific Research Center	
Procedure Title: <b>QUALITY MANUAL ISO/IEC 17025:2017</b>		Document No. <b>Samples -IAU-BASRC-010201-F-19</b>	
Department/Section	Quality Assurance / Lab	Revision Date: <b>1.1.2022</b>	Next Revision Date: <b>1.1.2026</b>
		Revision No. <b>1</b>	Page <b>1</b> of <b>2</b>

## REQUEST FOR TGA-Thermal SERVICE

<b>TYPE OF SERVICE:</b>	<input type="checkbox"/> Internal	<input type="checkbox"/> External
-------------------------	-----------------------------------	-----------------------------------

REQUESTER INFORMATION	
Client Name:	
Organization Type: <input type="checkbox"/> College <input type="checkbox"/> Research institute <input type="checkbox"/> University	
Name of organization:	
Department:	
E-mail:	
Mobile:	
Sig.:	Date:

Basic and Applied Scientific Research Centre Dammam 31113, Saudi Arabia		 جامعة الإمام عبد الرحمن بن فيصل IMAM ABDULRAHMAN BIN FAISAL UNIVERSITY مركز البحوث العلمية الأساسية و التطبيقية Basic and Applied Scientific Research Center	
Procedure Title: <b>QUALITY MANUAL ISO/IEC 17025:2017</b>		Document No. <b>Samples -IAU-BASRC-010201-F-19</b>	
Department/Section	Quality Assurance / Lab	Revision Date: <b>1.1.2022</b>	Next Revision Date: <b>1.1.2026</b>
		Revision No. <b>1</b>	Page <b>2</b> of <b>2</b>

<b>SAMPLE INFORMATION</b>			
Number of samples:			
Required temperature (Celsius):      Start (      )      End: (      )			
Sample analysis: <input type="checkbox"/> With Nitrogen gas <input type="checkbox"/> Without Nitrogen gas			
Safety precautions:			
<input type="checkbox"/> Toxic <input type="checkbox"/> Flammable <input type="checkbox"/> Biohazardous <input type="checkbox"/> None			
<b>INSTRUCTIONS</b>			
1- The sample must be in solid state.			
2-The results will be sent by e-mail <u>within 10 working days</u>			
<b>Would you like to retrieve your samples after completing the analysis:</b> <input type="checkbox"/> Yes <input type="checkbox"/> No			
<b>Please collect your samples no later than one week from receiving this e-mail. After a week, the samples will be disposed</b>			
<b>Storage requirements for the sample :</b> .....			
<b>Acknowledgment:</b> All information filled in by the Client is correct			

**Samples Supervisor Name:**

.....

Sig.:

Date:

